



50 YEARS OF GERMAN ENGINEERING

Magnat is celebrating its 50th anniversary and to celebrate this milestone, we have created a special edition for our MTT990 turntable in graphite grey and took the opportunity to make some technical improvements.











HIGHLIGHTS

- Magnat celebrats it 50th anniversary with a special edition of the MTT 990 turntable
- The Anniversary Edition of the MTT 990 uses high-tech materials such as a full-size platter made of high-density polymer and a cabinet made of high-density MDF
- The special edition tone arm is a 10-inch long, of specially alloyed aluminum with stainless steel bearings and a high-quality Audio Technica elliptical cartridge
- The MTT 990 comes in an elegant, gray high-gloss finish and a "50 Years" logo for the Anniversary Edition.



DRIVE

- Quartz-controlled direct drive with high torque motor
- Comfortable one-button control
- Speed selection: 33 1/3, 45, 78 rpm
- Low standby power consumption: < 0.5 watt
- Power supply 115 / 230 VAC 50/60Hz (switchable)

TONE ARM

- 10" J-shaped tone arm made of specially alloyed aluminium
- For cartridges with a dynamic compliance of medium to medium-stiff
- Headshell with SME fitting
- Stainless steel tone arm bearings with carbon steel bearing balls
- Mechanically decoupled tone arm counterweight
- Height of the tone arm basis can be adjusted to fit almost all cartridges
- Hydraulically damped tone arm lift
- High-quality internal tone arm wiring from Mogami/Japan
- Gold-plated RCA audio outputs and solid ground terminal

PLATTER

- Heavy, solid platter made of precision-turned, high-compressed special polymer
- Full-size platter (diameter: 12" / 305 mm)
- The record can be placed directly on the platter or on a felt mat (included)





CABINET

- Solid MDF cabinet
- High-quality glossy lacquering
- Height-adjustable, decoupling feet
- Acrylic dust cover can be optionally mounted
- New graphite gray

CARTRIGE

 High-performance cartridge 'Audio-Technica VM520EB with elliptical stylus





TECHNICAL DETAILS

PRINCIPLE

Quartz-controlled direct drive

SPEEDS

33 1/3, 45, 78 rpm

WOW & FLUTTER

< 0.08 % (33 1/3 rpm)

SIGNAL/NOISE RATIO (A-WEIGHTED)

SIGNAL/NOISE RATIO (UNWEIGHTED)

> 65 dB

TORQUE

> 2.2 kgf cm

PLATTER DIAMETER

305 mm

PLATTER WEIGHT (NET)

TONEARM LENGTH

FOR CARTRIDGES WEIGHING

3 - 10 g

FOR CARTRIDGES WITH A

DYNAMIC COMPLIANCE OF

Medium - medium-stiff

OVERHANG

15.3 mm

OFFSET ANGLE

WEIGHT OF HEADSHELL

9 g

ADJUSTMENT RANGE OF TRACKING FORCE

 $0 - 40 \, \text{mN} / 0 - 4.0 \, \text{g}$

ADJUSTMENT RANGE OF ANTISCATING

Analogue to tracking force

VTA (HEIGHT ADJUSTMENT)

6 mm

CABINET SURFACE

Anniversary Graphite Gray

Dimensions (WxHxD)

Cover closed: 450 x 162 x 367 mm

Cover open: 450 x 412 x 412 mm

WEIGHT

11 kg

ART.-NO. /EAN

MTT 990 50th Anniversary Editon: D149720 / 4018843497204



TONE ARM HEIGHT ADJUSTABLE



REPLACEABLE HEADSHELL



QUARTZ CONTROLLED



ONE-BUTTON OPERATION



CARBON STEEL BEARING BALLS



DIRECT DRIVE



J-FORM **TONE ARM**



10" TONE ARM



CONTROLLED RESONANCE PLATTER



WITH CARTRIDGE AUDIO-TECHNICA

